

Taiwan Hot Rod Products Co., Ltd.

**PREMIUM, HIGH QUALITY, UNIQUE
BIKE TOOLS, HAND TOOLS & ACCESSORIES**



www.goodbiketools.com

Email: hotrod.wan@msa.hinet.net
hotrod.wan@gmail.com

TEL: 886-4-22923874

Fax: 886-4-22990350

3F, No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan



Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Professional Wheel Truing Stand

PATENT



Four Major Features:

- 180-Degree Rotation to Provide Double Side Measurement
- Applicable To Wheels 12-29 Inches, Wide 20mm-100mm
- Quality Locates the Distance of Steel Ring.
- Fine Adjustment of Measuring Arm Distance.

The utility multifunctional wheel truing stand has a high strength plate metal base, single-arm and swivel design, so as to get rid of the previous double-arm adjusting table on the size of the frame restrictions and the use of aluminum alloy slide, two way locking knob and fine-tuning knob to achieve rapid positioning fine tuning function has applied for a patent of invention.

**Especially good for bike repair store.

Please review the photos of operation as below;



Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Professional Wide Wheel Turing Stand / Nipple Measuring Tools



Feature:

With Dial Indicator Gauge Set to Measure Wheels Lateral and Radial.
Run-Out SJ-9012A Has a Patent for Invention.

The Novelty of This Product Has Four Main Features:

- ** The Calibration Table Base Can Be Adjusted Up, Down, Left and Right to Fix the Position.
- ** 360 Degree Adjustment of The Universal Head.
- ** Can Measure the Wheel Set Radial and Lateral Deflection Positioning at The Same Time.
- ** The Measuring Table Can Read 0.01mm and Set the Accurate Tolerance to Calibrate The Wheel Set.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

8PCS Quick Replace Professional Bike Kits Set

PATENT



Features:

1. Quick Change Handle (Length 280mm)_
2. Quick Cassette Pliers Cassette Locking Tool
3. Cartridge Bottom Bracket Tool_
4. Pedal Wrench 15mm Open End tool For Removal & Installation
5. Spoke Wrench
6. Bottom Bracket Tool
7. Universal Crank Puller

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Quick Cassette Pliers

PATENT



Features:

- * Secure engagement, Easy to use and fast!
- * Quick Cassette Plier cogs from 10T to 19T with no manual adjustments.
- * It has 300mm long and can be operated with one hand to hold cassette solidly during lock ring removal.
- * With a spring-loaded return.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Air Seat - Full-Floating Saddle Suspension System



PATENT

Features:

1. To Make It More Stable and Comfortable Anytime, Anywhere
2. It Is a Full Floating Cushion Shock Absorber.
3. It Bears Wobble from the Front and Rear Wheels which Forms a Complex Bounce Mode to the Bicycle Saddle.
4. The Air Seat Can Absorb Any Vibration of Up and Down, Back and Forth, 360 Degrees to Achieve an All-Round Shock Absorption.
5. The Innovative Air Seat Is Purely Made of Solid Aluminum with Highly Reliable Stability and Durability.
6. No Matter If the Road Is Uneven or Bumpy, We Can Still Ride with Comfort Just Like Being on a Runway.
7. The Air Seat Is Suitable and Compatible to All Kinds of Bicycles.
8. It Is Unique, Perfectly Universal and Can Be Easily Installed to Be Part of your Saddle.
9. Pushing The Definition of The Shock Absorption to Another Level.
10. With Air Seat, Has Always a Smooth Journey.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Adjustable Bicycle Wall Hanger

PATENT



Features:

Storage or Display Rack. For Mounting a Single Bike Horizontally on the Wall.

- Adjustable Bike Angle
- Space Saving Design
- Padded Frame Holders
- Anchor Strap Keeps Front Wheel in Place
- Sturdy, Durable Construction

Features Frame Holders are Position-Adjustable to Keep Wheels Horizontal. Hanger Beam Length Is Extendable to Fit Narrow or Wide Handlebars. Padded Frame Holders Will Not Scratch Your Bike. Helmets or Other Bike Gear Can Be Hung From Hanger Beam. Front Wheel Anchor Strap Included.

Compatibility Most Bikes Up to 18 Kg (39.5 lb) with A Conventional Frame Shape, and a Handlebar Width Up To 750 Mm (29.5").

Material Aluminum / Steel, Padded ABS Frame Holders.


Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Adjustable Bike Stand IB-ST10



Features:

Foldable Stand for Maintenance, Parking, or Display.
Adjustable, can be Folded for Transporting or Storage.

- Adjustable Height
- Non-Scratch Wheel Axle Rest and Floor Pads
- Foldable
- Sturdy, Durable Construction
- E-Bike, Fat Tire Bike Compatible

Compatibility 20–29" Disk or Non-Disk Wheels. [Max. Load 25 Kg / 55 lb].
Material Steel, Thermoplastic Rubber.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Heavy-duty Adjustable Bike Stand IB-ST11



Adjustable, foldable stand for maintenance, parking, or display.

- Adjustable Height
- Non-Scratch Wheel Axle Rest and Floor Pads
- Foldable
- Sturdy, Durable Construction
- E-Bike, Fat Tire Bike Compatible

Features: Adjustable height, Non-scratch floor pads, Non-scratch wheel axle rest, Sturdy, durable construction. Can be folded for transporting or storage.

Compatibility: 20–29" disk or non-disk wheels. [Max. Load 25 kg / 55 lb].

Material: Steel, Thermoplastic rubber.

Weight: 2.05 kg / **Carry Limit:** 25 kg

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Pak Rak Touring Carrier Plus+ IB-RA5



Frame-Mounted for Heavier Top & Side Loads. for Disk Brake Bikes.

- Quick Clip-On Bag Mount
- Adjustable, for 26"–29" Frames

Features Mount Pakrak Bags Together with Pakrak Panniers, Carries Up to 25 Kg (55 lb), Reflector or Taillight Attachable.

Material Durable TIG-Welded, Heat-Treated Aluminum.

Bike Compatibility Adjustable to Fit Most 26"–29" Disk Brake Bicycle Frames.

Bag Compatibility: Pakrak [IB-BA9](#), [IB-BA11](#), [IB-BA20](#)

Size:

L	W	D	Weight	Carry Limit
48.5 cm	14 cm	41 cm	835 g	25 kg

aiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

PakRak Commuter Carrier IB-RA11



Seat Post-Mounted Rear Bike Rack for Light, Top Loads.

- Quick Clip-On Bag Mount
- Adjustable Length
-

Features Quick Clip-On Pakrak Bag Mount, Adjustable Length (520–585 Mm), Carries Up To 10 Kg (22 lb), Reflector or Taillight Attachable.

Material Die Cast/Extruded, Durable TIG-Welded, Heat-Treated Aluminum.

Bike Compatibility Most Bikes.

Seat Post Compatibility Diameter: 27.2–31.8 Mm. Rubber Sizing Shims Included.

Bag Compatibility: Pakrak [IB-BA9](#), [IB-BA11](#), [IB-BA20](#)

Size:

L	W	D	Weight	Carry Limit
53 cm	14 cm	8 cm	830 g	10kg

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR RACK - FITS FOR FAT BIKE – 36



Feature:

Material: Aluminum 6061

Size: 26"x1" ~ 29"x 4.0" Tire Adjustable

Finish: Powder Coated

Color: Black & Silver

Advantage: Adjustable Frame

CD-36 Foot Width:135-185mm

CD-36X Foot Width:135-205mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR RACK - FOR DISC BRAKE BIKE - 47



Rear Carrier Especially for Disc Brake Bike

Feature:

Material: Aluminum 6061

Size: 26"~ 28" Adjustable

Finish: Powder Coated

Color: Black/ Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR RACK – SMALL FRAME CARRIER – 271



Feature:

Width of Frame 100mm

Material: Aluminum 6061

Size: 26" - 29" Adjustable

Finish: Powder Coated

Color: Black & Silver

Weight: 520g

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR RACK – FIT FOR CITY BIKE - 20AC



Feature:

Material: Aluminum 6061

Finish: Powder Coated

Color: Black & Silver

Size: 26" - 28" Adjustable

In Accordance with ISO11234 Max:27 Kgs

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

FRONT BIKE RACK - 240



Feature:

Material: Aluminum 6061

Finish: Powder Coated

Color: Black / Silver

Size: Any Size

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

FRONT BIKE CARRIER EXPANDABLE WING – 266F



Feature:

Front Carrier with The Expandable Wing, User Can Fully Utilize the Carrier Space.

Front Carrier Can Be Mounted to V-Brake System or The Bike with Front Brake Studs.

Material: Aluminum 6061

Size: 26" - 29" Adjustable

Finish: Powder Coated

Color: Black / Silver

Weight: 810g

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR BIKE CARRIER - CARRIER EXTENDER - 274



Feature:

- * Enlarge the Contact Space of Your Racks.
- * Easy To Assemble Through the Adjustable Locking Plates

Material: Aluminum 6061

Finish: Powder Coated Black

Rack Width: 80-140mm

Tube Diameter: 8-16mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

E BIKE BATTERY REAR RACK - 273



Feature:

Material: Aluminum 6061

Size: 26" / 28"

Finish: Powder Coated

Color: Black / Silver

Weight: 1033g

Fit Step Battery: BT E-6000 / BT E-6001 (Not Included)

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR KICKSTAND KA98



Description:

- * **Material: Aluminum 6061**
- * **Fits on Chain Stay Which is Welding a Fixed Plate with 2 Holes (18mm Distances)**
- * **Suitable For E-Bike and Trekking Bike**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 315g / 0.69lbs

Color: ED Black, V-Polished Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR KICKSTAND KA100



Description:

- * **Material: Aluminum 6061**
- * **Fits on Chain Stay Which is Welding a Fixed Plate with 2 Holes (40mm Distances)**
- * **Suitable For E-Bike and Trekking Bike**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 315g / 0.69lbs

Color: ED Black, V-Polished Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR KICKSTAND KA112



Description:

- * **Material: Aluminum 6061**
- * **Fits on Chain Stay which is Welding a Fixed Plate with 2 Holes (18mm Distances)**
- * **Strong Design and Suitable for E-Bike and Trekking Bike**
- * **Special Carbon Texture for Plastic Part**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 480g / 1.04lbs

Color: Liquid Coating Black

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR KICKSTAND KA113



Description:

- * **Material: Aluminum 6061**
- * **Fits on Chain Stay which is Welding a Fixed Plate with 2 Holes (40mm Distances)**
- * **Strong Design and Suitable for E-Bike and Trekking Bike**
- * **Special Carbon Texture for Plastic Part**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 480g / 1.04lbs

Color: Liquid Coating Black

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

REAR KICKSTAND - 120



Feature:

Material: Aluminum 6061

Size: 26" - 28" Adjustable

Color:

Finish: ED Black / Anodized Silver

Size: CD-120 for 26"~28"

Size: CD-120X for 26"~29"

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

CENTER KICKSTAND KA105



Description:

- * **Material: Aluminum 6061**
- * **Fits On Chain Stay Neck, Stable and Strong Design**
- * **Suitable For E-Bike and Trekking Bike**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 450g / 0.98lbs

Color: Liquid Coating Black

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

CENTER KICKSTAND KA99



Description:

- * **Material: Aluminum 6061**
- * **Fits on Chain Stay Neck**
- * **Plastic adjustable part will not be fall off**
- * **Simple Adjustable design**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 230g / 0.50lbs

Color: ED Black, V-Polished Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

CENTER KICKSTAND KA92



Description:

- * **Material: Aluminum 6061**
- * **Fits on Chain Stay Neck**
- * **Suitable for E-Bike**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 295g / 0.66lbs

Color: ED Black, V-Polished Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

CENTER KICKSTAND - 139



Feature:

Material: Aluminum 6061 (Square Tube)

Size: 26" - 29" Adjustable

Finish: ED Black OR Anodized Silver

***Cap Can Be Purchased Separately**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

SIDE KICKSTAND - 174



Feature:

Material: Aluminum 6061

Size: 26" - 29" Adjustable

Finish: ED Black or Anodized Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

DOUBLE LEG KICKSTAND KA88



Description:

- * **Material: Aluminum 6061**
- * **Avoid Touching the Chain as Single Stand in Kick Up Location.**
- * **Suitable For E-Bike and Trekking Bike which Carry Heavy Things.**
- * **Bike Size: Adjustable 24"~29"**
- * **Made in Taiwan**

Features:

Weight: 710g / 1.56lbs

Max loading 40kgs

Color ED Black

V-Polished Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

KICKSTAND FOR E-BIKE - 177B



Feature:

Two Holes Side Kickstand

Material: Aluminum 6061 (Square Tube)

Size: 26" - 29" Adjustable

Finish: Powder Coating

Color: Black & Silver

Stand Sleeve: Nylon

Hole Distance: 18mm & 40mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

KICKSTAND FOR E-BIKE – 177FB



Feature:

Four Holes Side Kickstand

Material: Aluminum 6061 (Square Tube)

Size: 24" - 29" Adjustable

Finish: Powder Coating

Color: Black & Silver

Stand Sleeve: Nylon

Hole Distance: 18mm & 40mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Waterproof Top Tube Bag IB-TB15



- **Strap attachment.**
 - Waterproof
 - Phone sleeve
 - Hard case for full protection
 - Soft non-scratch base

Material: Waterproof 420D nylon, with ultrasonic welded seams.
Phone sleeve holds 5"–6" screen.

Size:

L	W	D	Capacity	Weight	Carry Limit
18cm (7")	9cm (3.5")	9cm (3.5")	1.1 L (67 ci)	203g	1kg

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Top Tube Mini Panniers IB-TB7

PATENT



- **Strap Attachment.**
 - Dual Bags
 - Phone Sleeve
 - Multi-Compartments
 - Reflective Trim

Material Water Resistant 600D Nylon, Reflective Trim.

Phone Sleeve Holds 5"–6" Screen Size Phones.

Optional Rain Cover: [IB-RC6](#)

Size:

L	W	D	Capacity	Weight	Carry Limit
16cm (6.3")	9cm (3.5")	12cm (4.7")	1L (61 ci)	180g	1.5kg

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Top Tube Bag IB-TB17

PATENT



Quick release bag attachment

Material Water resistant 1680D nylon, Reflective trim.

- Quick release
- Hand carry strap
- Fits various size and shape tubing
- Anti-slip, non-scratch attachment
- Padded to protect fragile items
- Internal mesh sleeve
- Reflective trim and 3M zipper slider

Size:

L	W	D	Capacity	Weight	Carry Limit
17cm (6.7")	6.5cm (2.5")	10cm (4")	0.5L (30.5 ci)	152g	1kg

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

PakRak Commuter IB-BA11



Top-mounted trunk bag for weekend bike outings and commuting to work or school.

Material: Carbon fiber-style ABS base, water resistant 1680D nylon.

- Quick clip-on system
- Multi-compartments
- Wide opening, easy access zipper
- Hard base, reinforced, padded body

Carry school books, groceries, a change of clothes, bike gear, and all your small stuff.

Features Wide opening zipper gives easy access to large compartment with inner mesh pocket, 2 side pockets, rear pocket, top pouch with external bungee cords, Hand carry strap, Detachable shoulder strap, 360° reflective trim, Taillight hanger.

Carrier Attachment PakRak Button Lock mechanism.

Confirm bag-carrier compatibility before purchase.

Rain Cover Option: [IB-RC1](#)

Compatibility: Our Touring Carrier B-RA5 and IB-RA11

Size:

L	W	D	Capacity	Weight	Carry Limit
38cm (15")	22cm (8.7")	29cm (11.4")	17L (1035 ci)	1.28kg	10kg

Note: PakRak bag are incompatible with non-PakRak carriers.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

PakRak Panniers IB-BA9

PATENT



Side-Mounting Bags for Bike Touring.

Material Water Resistant 1680D Nylon.

Carrier Attachment Pakrak Lever Lock Mechanism.

- Quick Clip-On System
- Compatible With Most Carriers
- Secure 3 Points Connection

Features:

** Panniers Clip on Securely in Seconds—No Straps Required. Can Be Used as A Set or Singularly. If Used with our Pakrak Touring Carrier Plus+, Other Top-Mounting Pakrak Bags Can Be Used Simultaneously.

** 2 Large Reinforced Compartments, 2 Side Pockets, Hand-Carry Strap, Reflective Trim.

Compatibility: Touring Carrier **IB-RA5** and **IB-RA11**

Size:

L	W	D	Capacity	Weight	Carry Limit
30cm (11.8")	15cm (5.9")	40cm (15.7")	30L (1831 ci)	1.85kg	9kg

Note: pakrak panniers are compatible with Pakrak carriers, and most other touring carriers. Confirm bag-carrier compatibility before purchase.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

FERRIS WHEEL SAFETY LIGHT RED COB



3330-B

Features: Safety Light

Light: 12pcs Red COB LED & 1pc Red/Green LED

Power Source: 1pc 3.7V/200mAH Lithium Battery

Material: ABS/PC

Size: 40x40x22mm

Net Weight: 18g

Water Proof: IPX4

Light Mode:

**** Steady→ Breathing→ Fireworks→ Heartbeat→ Pulse→ Roadside warning**

**** Press the Button and hold 1 Second to Switch Off**

Performance Index:

Steady → 6H±20% / Breathing → 10H±20% / Fireworks → 30H±20%

Heartbeat → 17H±20% / Pulse → 21.5H±20% / Roadside warning → 18.5H±20%

The Function:

- 1. Multifunctional Mounting Options (Backpack, Bicycle, Dog Collar Etc.)**
- 2. Small and Light**
- 3. Large Viewing Angle for High Visibility**

Country of Original: China by Taiwan Manufacturer

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Rear Light Bicycle Lamp LED with Rechargeable Battery



3215-C

Light Modes: On / Off

3215-1C

Light Modes: On / Blinking / Off

Features:

1. Attachment to The Seat Post
2. Attachment Via Rubber Band
3. Large Viewing Angle for High Visibility
4. with Rechargeable Battery
5. With Battery Indicator

Description:

Material: ABS/PC	Drop Test: 1 M
Light Source: 8x RED SMD LED	IP Protection Class: IPX5
With Power Indicator	Weight: Rear Light 33g / USB 10g
Power Source: 3.7V / 360mah	Dimensions: 22.5x32x65mm
Max Luminosity: 4.5 Candles	Charging Cycles: 500 X or 2-3 Years
Run Time: 2.5 Hours	Charging Time: 2-3 Hours
Max Lux: N / A	Bracket: Rubber Band
Beam Distance: Visible up to 250 M	Approved: CE / RoHS, REACH

Country of Original: China by Taiwan Manufacturer

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Rear Light Bicycle Lamp LED with Rechargeable Battery



ET-3231-1

Light Modes: On / Blinking / Off

ET-3231

Light Modes: On / Off

Features:

- 1. Attachment to The Seat Post**
- 2. Attachment Via Rubber Band**
- 3. Large Viewing Angle for High Visibility**
- 4. With Battery Indicator**

Description:

Material: ABS/PC	Drop Test: 1 M
Light Source: COB	Ip Protection Class: Ipx5
With Power Indicator	Weight: Rear Light 33g / USB 10g
Power Source: 3.7V / 300mah	Dimensions: 58x36x35mm
Max Luminosity: 2.88 Candles	Charging Cycles: 500 X Or 2-3 Years
Run Time: 2.5 Hours	Charging Time: 2-3 Hours
Max Lux: N / A	Bracket: Rubber Band
Beam Distance: Visible Up To 250 M	Approved: Ce / RoHS, REACH

Country of Original: China by Taiwan Manufacturer

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Aluminum Bottle Cage IB-BC12



Material: Aluminum plate. Rubber stretch band. Attachment hardware included—stainless steel bolts.

Features:

- Lightweight
- Stretch band
- Holds bottle firmly
- Fits most bike bottles

Weight: 30 g

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Carbon Fiber Bottle Cage IB-BC16



Side or top loading

Material: Carbon Fiber

Attachment Hardware Included—Stainless Steel Bolts.

Features:

- Carbon Fiber
- Lightweight
- Side Or Top Loading
- Holds Bottle Firmly
- Fits Most Bike Bottles

Weight: 20 g

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Strap-on Bottle Cage Attachment IB-BC23



For Bikes Without Bottle Cage Mounting Holes.

- Strap On Attachment
- Anti-Slip, Non-Scratch Attachment
- Fits Various Size and Shape Tubing
- Holds Bottle Securely
- E-Bike Compatible

Features Straps to Bicycle Seat Tube, Down Tube or Top Tube. Attachment Is Unobtrusive, Anti-Slip, and Will Not Scratch Bicycle Frame.

Material Plastic.

*Bottle Cage and Bottles Not Included.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

NYLON BOTTLE CAGE 318 L / R SIDE



Material: NYLON

Plastic Bottle Cage-Left Side

Plastic Bottle Cage-Right Side

Color: Black, Red, White, Blue

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

PC Bottle Cage 320



Material: PC

Double Color Injection

Color: Matte Finished

Black/White

Blue/White

Red/White

White/Black

Blue/ Black

Red/ Black

Other Colors Matching is Possible

Base: Black or White

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Flexi Cage for Stem IB-BC19



Soft, Flexible Cage–Stem Attachable.

Material: PVC, Polypropylene.

- Straps Onto Stem
- Non-Scratch Velvet Lining
- Holds Bottle Securely
- Reflective Trim
- E-Bike Compatible

Features Unlike Other Cages, The Flexi Cage Does Not Scratch or Abrade Water Bottles. Made of Soft but Firm Material, And Lined with Non-Scratch Velvet. The Cage Is Durable and Holds Bottles Securely. It Also Features Reflective Trim That Provides Extra Night Riding Safety.

Compatibility For Any Bike, But Especially Suitable For E-Bikes and Folding Bikes.

Weight: 58 g

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Combination Cable Locks



Feature:

- ** Flexible Steel Cable Designed for Multi-Purpose, Corrosion-Resistant and Scratch-Resistant Cable
- ** 4-Digit Resettable Combination With 10,000 Possibilities Strong and Secure
- ** High Visible Large Number Dials Optional with Bike Mount (WL0972 、 WL0979)

Material:

Zinc Alloy Lock Body with ABS Housing

Specification:

Cable Size: Φ 8 / 10 / 12 X 900 / 1800 mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Double Loop Multi-Usage Lock



Description:

- Ideal For Securing Helmets, Saddles, Wheels, Luggage and More Objects at The Same Time

Feature:

- Lightweight & Portable
- 3-Digit Resettable Combination
- Ultra-Lightweight and Small but Offers Dependable Security for Multipurpose
- Visible Number Dials
- Compact And Durable Makes Easy Storage in Any Condition
- Easily Snap on Padlock
- Dual Steel Cable Design for Higher Cut Resistance and Security (PI3001)
- Steel Ring Provides Better Security (PI3001)
- Corrosion-Resistant and Scratch-Resistant Cable (PI3002)
-

Specification:

- PI3001 Flat Cable Size: W8 X T3 X L900 / 1800 Mm
- PI3002 Round Cable Size: Ø4.8 X 900 Mm (Straight Cable)
- PI3002 Round Cable Size: Ø4.8 X 1800 Mm (Coiled Cable)

Country of Original: China by Taiwan Manufacturer


Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

U-Lock WL3001



A High security U shackle lock. Key or digit resettable lock.
Applications: motorcycle, bicycle, machine.

Features:

- * **ART & Sold Secure certified** high security bicycle lock
- * Double deadbolt provides additional protection against cut and twist
- * Sliding dust cover against dirt and scatter pieces into the key access
- * 3 keys included
- * Transit bracket included
- * High security disc-style cylinder is pick and drill resistant

Specification:

- * Hardened steel shackle: Φ 14 mm
- * Inner size: (W) 74 x (H) 231.9 mm
- * Weight: 1.2 kg

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

U-Lock WL3002



A High security U shackle lock.
Applications: motorcycle, bicycle, machine.

Features:

- * **Sold Secure Certified** high security bicycle lock
- * Double deadbolt provides additional protection against cut and twist
- * Sliding dust cover against dirt and scatter pieces into the key access
- * 3 keys included
- * Transit bracket included
- * High security disc-style cylinder is pick and drill resistant

Specification:

- * Hardened steel shackle: Φ 14 mm
- * Size: (W) 140.9 x (H) 294.9 mm
- * Inner size: (W) 74 x (H) 231.9 mm
- * Weight: 1.2 kg

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

ART2 & SS Gold Certified High Security Folding Lock (HWL-2001+HWL8004)



Feature:



Material:

- Hardened Steel Panel with ABS Covered

Specification:

- 5 mm X 6 Hardened Steel Links
- Link Length: 990 mm
- Weight: 1.4 Kg

Bike Lock Related Certifications:

- European Countries / Holland- ART
- U.K- SOLD SECURE

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Zigger Locks (DL Type)



Description:

- Zigger Lock
- Flat Cable Lock
- Cable Tie Lock
- Multitude of Application

Feature:

- Easy to Lock Up
- 3-Digit Resettable Combination Design
- Better Cable Management & Portable
- Anti-Scratch & Anti-Theft
- Ultra-Lightweight and Small but Offers Dependable Security for Mid-Stop
- A Cutting-Edge Design in Security with a Multitude of Applications
- Optimal Locking Range
- Visible Number Dials

Material:

- Zinc Alloy Housing

Specification:

- Flat Steel with Plastic Sheath (L460 mm)
- Cable Size: (W) 11 X (H) 3.7 mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Sports & Outdoor Retractable Cable Locks - TL0956



Description:

- Self-Retracting cable for easy storage.
- Panel for colorful design.
- Convenient and light weight locking device for baby cart, bike, helmet and accessories.

•

Feature:

- 3-digit resettable function
- Versatile application and usage cable Lock, recommended for quick release components and accessory lock-ups
- Cable Length is adjustable depend on your need

•

Material:

- ABS plastic lock housing
- PVC coated steel cable

•

Specification:

- Cable size: Φ 1.6 x 730 mm
- Size: W54 x D21 x H72.5 mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Sports & Outdoor Retractable Cable Locks - TL0981



Description:

- Self-Retracting cable for easy storage.
- Panel for colorful design.
- Convenient and light weight locking device for baby cart, bike, helmet and accessories.

Feature:

- 4-digit resettable function
- Versatile application and usage cable Lock, recommended for quick release components and accessory lock-ups
- Cable Length is adjustable depend on your need
-

Material:

- ABS plastic lock housing
- PVC coated steel cable
-

Specification:

- Variety cable size available:
 - Φ 1.6 x 1200 mm (TL0981A)
 - Φ 2.4 x 900 mm (TL0981B)
 - Φ 3.0 x 600 mm (TL0981C)
- Size: W67.4 x D22.6 x H95 mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Two Wheel Versatile Cable Locks - RL0646 / RL0647



Description:

- Resettable combination
-

Feature:

- 4-digit resettable function
- Easy to remember and set your own combination
- Multipurpose application for computer security, travel, and other activities
- Total solution for locking various devices
-

Material:

- RL0646: (4-digit) Zinc alloy housing with Electro-Black Plated
- RL0647: (3-digit) Zinc alloy housing with Sand Blasted Electro-Nickel Plated
-

Specification:

- Cable size: Ø 4.8 x 2000 mm


Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Hardware Key Storage Security



Feature

- Shackle version
- 4-digit resettable function
- Set your own combination for keyless convenience and increased security
- Shutter door protects combination dials from water, dirt and grime (PL0974B)
- Hold up key / card key for house or car in a convenient location for regular use
- Vinyl coated shackle prevents scratches to your door

Material

- Zinc alloy housing

Specification

- **PL0974A:**
 - Shackle size: $\Phi 10$ mm
 - Size: 76 x 35.6 x 125 mm
 - Inner size: 69.5 x 28.6 x 108 mm
- **PL0974B: (with dust cover)**
 - Shackle size: $\Phi 10$ mm
 - Size: 80.2 x 42.9 x 126.6 mm
 - Inner size: 69.5 x 28.6 x 108 mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Hook D Padlock – Sports & Outdoor



PL0712



PL0713

Description:

- Aluminum construction is lightweight and durable.
- Set your own combination for convenience security.
- This carabiner combo lock is ideal for locking in your backpacks, sports bags, briefcases & computer bags.
- Combine with leash for secure more objects.

Feature:

- 4-digit resettable function
- Further locking structures are available with additional cable or leash to meet different security demand

•

Material:

- Aluminum alloy

Specification:

PL0712:

- Shackle size: Φ 8 mm
- Size: 52.2 x 20 x 86.5 mm

PL0173:

- Shackle size: Φ 8 mm
- Size: 69.6 x 20 x 97.6 mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Speedy CO2 Inflator - Press Type 16G



Features:

- * **Press Type Design**
- * **Easy Operation with One Hand**
- * **Save Gas**
- * **7075-T6 Presta & Schrader Valve with Free Turn**
- * **Threadless Presta, Thread Schrader**

- * **Fit For 16g Threaded Cartridge**
- * **Full 6061 Aluminum Alloy & CNC'd,**
- * **Package Without CO2 Cartridge**
- * **Weight: 64g**

- * **Available Treatment:**
Micro satin Black / Matt Black / Blight Black / Silver + Silver Grey / Silver + Blue / Silver + Golden

PS: The Green Color is Exclusive to Japan

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Speedy Inflator Head - Press Type 16G

PATENT



Features:

- * Full 6061 Aluminum Alloy with CNC Machined
- * **Press Type Design**
- * **Save Gas**
- * 7075-T6 Presta & Schrader Valve with Free Tune Design
- * Threadless Presta, Thread Schrader
- * **Fit For 12/16/20/25/35g Threaded Cartridge**
- * Without CO2 Cartridge
- * **Weight: 33g**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

SLAM CO2 INFLATOR 16G

PATENT



Features:

- * Full 6061 aluminum alloy with CNC Machined
- * Air flow control
- * One tune in valve system design for 25g threaded cartridge.
- * 7056-T6 2 in 1 Presta & Schrader valve
CO2 cartridge is not included.
- * Length: 138mm
- * Weight: 64g

- * Available Treatment:
Micro satin Black / Matt Black / Blight Black / Silver Grey + Red

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Mini Pump FPP (w/Stainless Pedal)



*** Feature:**

- * Valve Head: 7075-T6 Free
Tune Presta & Schrader valve

*** Material:**

- * Full 6061 aluminum alloy anodized
CNC machined handle
- * Hi-pressure alloy & CNC barrel
- * 4mm stainless foot clip
- * Nylon bracket: High Strength Mold
Injection + Velcro strap
- * Stainless foldable foot clip
- * Pressure Gauge: 120psi
- * Length: 315mm
- * Available Treatment:
Matt Black / Red + Matt Black Blight Black / Silver

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Mini Pump HPM / HPL



*** Feature:**

- * Nylon plastic valve body with rubber 2nd injection,**
- * Nylon plastic handle with EPDM 2nd injection, a spare rubber ring storage in handle cap for replacement.**
- * 2 in 1 Dynamic valve for Presta & Schrader, switch P/S is not necessary,**
- * EPDM dust cover, Max 120 PSI (8.3 bar)**
- * Bracket w/rubber bend**
- * M Length: 213mm**
- * L Length: 248mm**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Tire Repair Kit

PATENT



Features:

Double-End Needle Dia. 2.3mm/PC

Mini Tire Seal 5cmx5 Strips, Dia. 1.5mm /PC

Plug Length 107.5mm

Total Length 115.7x17.5mm

We offer Stubby Type as well.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Seat Post Measurement Tool

PATENT



Features:

- * **Seat Post Measurement Tool**
- * **Compatible with Seat Tube Sizes from $\varnothing 25\text{mm}$ to $\varnothing 34.9\text{mm}$**
- * **Available Color: Black / Red / Gray**
- * **High: 100mm**
- * **Weight: 102g**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Pocket Torque Ratchet Wrench 2-14nm

PATENT



Features:

- * The Smallest Torque Wrench in The World
- * High Accurate Torque Wrench
- * Fully CNC Aluminum Body
- * Tolerance +/- 4%
- * 2-14Nm
- * 1pc Tool Pouch
- * 1PC Tool Bit Extension
- * Size: 148mm
- * Weight: 142g
- * Available Color: Black / Red / Blue / Orange / Matt Black / Copper

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Seat Pak with 17PCS Bike Tool Wallet (2 IN 1)



Material: Nylon 600D/PVC

Contents:

- * 3pcs Tire Levers (Nylon+ Fiberglass)
- * 1pc Speedy CO2 Head Inflator Press Type Threadless Presta & Schrader Valve, Full Aluminum Alloy & CNC Machined.
(Fit 12/16/20/25/38g Threaded Cartridges/ not included)
- * 1pc Insulation EVA Foam
- * 1pc Tubless Tire Repair Kit
- * 1set Glueless Patch
- * 1pc Tire Seal 1.5mm*5cm
- * 1pc Tire Seal 3.5mm*5cm
- * 1pc Chain Cutter
- * 1pc 87.4mm 60T Super Slim Stubby Type Ratchet Handle
- * 3pcs sockets (8, 9, 10mm)
- * 1pc Plastic Box
- * 1pc Tool wallet
- * 1pc Seat Pak

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

15PCS Bike Tool Bag



Contents:

***1pc Mini Pump CO2 Inflator 16G (cartridge is not included).**

Material: Aluminum Alloy A6061 with Patent. Made in Taiwan

*** 3pcs Tire Levers (Nylon+ Fiberglass)**

*** 1pc Chain Checker**

*** 1pc Tubless Tire Repair Kit**

*** 1set Glueless Patch**

*** 1pc Chain Cutter**

*** 1pc 87.4mmL 60T Super Slim Stubby Type Ratchet Handle**

*** 3pcs Socket (8.9.10mm)**

*** 1set (10pcs 25mm S2 bits) with Plastic Bit Holder**

*** 1pc One Touch Bit Holder**

*** 1pc Tire Seal 1.5mm*5cm**

*** 1pc Tire Seal 3.5mm*5cm**

*** 1pc Tool Bag**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

16PCS Bike Tools Bag



Features:

- *1pc Mini Pump CO2 Inflator 16G (cartridge is not included).
Material: Aluminum Alloy A6061 with Patent. Made in Taiwan
- * 3pcs Tire Levers (Nylon+ Fiberglass)
- * 1pc Chain Checker
- * 1pc Tubless Tire Repair Kit
- * 1set Glueless Patch
- * 1pc Chain Cutter
- * 1pc 87.4mmL 60T Super Slim Stubby Type Ratchet Handle
- * 3pcs Socket (8.9.10mm)
- * 1set (10pcs 25mm S2 bits) with Plastic Bit Holder
- * 1pc One Touch Bit Holder
- * 1pc Tire Seal 1.5mm*5cm
- * 1pc Tire Seal 3.5mm*5cm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Small Bit Box Set



Contents:

35PCS Bits Box Set:

*19PCS 25mmL Bits

*7PCS 50mmL Bits

*7PCS Sockets Sizes: 5,5 / 7 / 8 / 10 / 11 / 12 /13 mm

*1PC Adaptor (6,35mm => quarter for socket)4

*1PC 1/4" Ratchet Wrench (stubby type)

*Set with Sockets / Ratchet + Plastic Insert + Eva Foam with White Marking
& Belt Clip

38PCS Bits Box Set:

*30PCS 25mmL Bits

*7PCS 50mmL Bits

*1PC Bits Holder

*Set + Plastic Insert & Eva Foam with White Marking & Belt Clip

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Bit Box Set



A. 35PCS Bit Box Set

B. 45PCS Bit Box Set

A. Contents:

25mmL Bits with Color Ring x 10PCS

75mmL Bits with Color Ring x 10PCS

Socket, 1/4", L= 25 mm, 5.0 mm x1PCS

Socket, 1/4", L= 25 mm, 6.0 mmX1PCS

Socket, 1/4", L= 25 mm, 7.0 mmX1PCS

Socket, 1/4", L= 25 mm, 8.0 mmX1PCS

Socket, 1/4", L= 25 mm, 9.0 mmX1PCS

Socket, 1/4", L= 25 mm, 10.0 mmX1PCS

Socket, 1/4", L= 25 mm, 11.0 mmX1PCS

Socket, 1/4", L= 25 mm, 12.0 mmX1PCS

Socket, 1/4", L= 25 mm, 13.0 mmX1PCS

Socket, 1/4", L= 25 mm, 14.0 mmX1PCS

1/4" DR. x 1/4" Hex Bit Holder (25mmL) X1PCS

1/4" DR. Spinner Handle with **Blue** color X1PCS

*1/4" DR. 48T Ratchet Handle x1PCS

(Bits Rack in the Box x 2PCS)


Taiwan Hot Rod Products Co., Ltd.





No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Ratchet Handle HR-3300



Square Drive DR. (mm)	 (mm)	 (mm)	 L mm	Teeth	 g
1/4" (6.3)	17	24.5	142.4	90	87
3/8" (10)	22.5	32	200	90	191
1/2" (12.5)	29.5	40	255	90	369

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

25PC 1/4"DR. Socket & Bit Set



Contents:

12- Sockets:

4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

3- Accessories:

Stubby ratchet,

Extension bar 100 mm, Coupler for bits.

10- Bits (1/4" x 25 mm):

Hex: 5, 6 mm.

PH # 2.

PZ # 2.

TTX: T-10, 15, 20, 25, 30, 40.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

51PC 1/4"DR. Socket Set



Contents:

13- Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm.

6- Accessories: Stubby Ratchet KH3000S, Universal joint, Extension bar 100mm, Bit holder, Coupler for bits.

Spinner handle.

32- Bits (1/4" x 25 mm):

PH # 0, 1, 2, 3.

PZ # 0, 1, 2, 3.

FD: 3.5, 4.5, 5.5, 6.5 mm.

Hex: 3, 4, 5, 6 mm.

TX: T-9, 10, 15, 20, 25, 27, 30, 40.

TTX: T-9, 10, 15, 20, 25, 27, 30, 40.

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

1/4"DR. 18PCS SUPER SHORT MAGICAL SOCKET SET (MM)



PATENT

(HR-8023-018C)

Material: CR-V / Finish: Mirror Chrome

Contents :

3PC-1/4"Dr. Super Short Bit Socket 4H-5H-6H

5PC-Magical Socket:4(7H)-4.5(8H)-5(8H)-5.5(9H)-6(10H) mm

8PC-1/4"Dr. Super Short Socket: 7-8-9-10-11-12-13-14mm

1PC-1/4"Dr. 72T Stubby Ratchet Wrench

1PC-1/4"Dr. x 2" Extension Bar

Unit Packing: Plastic Box + Color Sleeve + Shrink

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

1/4"DR. 33PCS Super Short Magical Socket & Bit Set (mm)



Material: CR-V / Finish: Mirror Chrome

Contents:

5PC-1/4Dr. Magical Socket:4(7H)-4.5(8H)-5(8H)-5.5(9H)-6(10H)

8PC-1/4Dr. Super Short Socket: 7-8-9-10-11-12-13-14mm

18PC- 25mm Length Bits:

6PC Hex : 2-2.5-3-4-5-6

3PC Slot : SL4-5.5-6.5

6PC TX-Star : T10-T15-T20-T25-T30-T40

3PC Phillips : PH1-2-3

1PC-Bit Adaptor

1PC-72T Stubby Ratchet Wrench

Unit Packing: Plastic Box + Color Sleeve) + Shrink

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

18PCS 17H(3/8"Dr.) Insert-Snap Wrench & Super Short Socket Set (MM)



HR-8031

Material: CR-V

Finish: Sanding Mirror Chrome

Contents:

1PC- 17H Insert-Snap Wrench

2PC- 3/8"Dr. Extension Bar 3", 6"

1PC- 17H x 3/8"Dr. Quick Release Socket Adaptor

1PC- 3/8"Dr. Universal Joint

13PC- 17H(3/8"Dr.) 2 Way Super Short Socket:

8-9-10-11-12-13-14-15-16-17-19-21-22mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

24PCS 22H (1/2"Dr.) Insert-Snap Wrench & Super Short Socket Set (MM)



Insert Snap Socket



Material: CR-V

Finish: Sanding Mirror Chrome

Contents:

1PC- 22H Insert-Snap Wrench

2PC- 1/2"Dr. Extension Bar 5" & 10"

1PC- 22H x 1/2"Dr. Quick Release Socket Adaptor

1PC- 1/2"Dr. Universal Joint

19PC- 22H(1/2"Dr.) 2 Way Super Short Socket

8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874

Fax: 886-4-22990350

www.taiwanhotrodproducts.com

Email: hotrod.wan@msa.hinet.net

EXTRACTOR RATCHET WRENCH SERIES

For regular- or up to 80% damaged bolts



QUICK DRIVE FAST ACTION

The patented Quick Drive open end design acts as a ratcheting function but cost saving. Ratchet the nuts and bolts quickly. No need to remove the wrench from the fastener.

EXTRACTOR

Using patented technology allows Extractor (ratchet) Wrench series to work easily on up to 80% rounded bolts.

Ratcheting Extractor box end.
More grip & extract ability than any other similar spanner.

100 Teeth ratchet wrench operates easily in narrow spaces due to 3.6 degrees swing.

GROOVED OPEN END

The Extractor Open End also have grooves that bite into the bolt for extra grip to avoid slippage while you work and less chance of rounding out bolts and nuts.

- Torque meets DIN standard
- In regular or light weight execution
- Available in Regular, Extractor or Quick drive open end
- Regular or stubby length
- 72, 100 or 120 teeth spanner
- Custom colour ring

Variations

**Regular
Extractor
Spanner**



**One-way
Extractor
Ratchet
Wrench**



**Reversible
Extractor
Ratchet
Wrench**



**Grooved
Open End**



Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Anti-Slip Function at the Open End










Feature:

Add asymmetrical grooves and V-bottom on the inner edge of the wrench.

Function:

This design can increase the friction on the contact surface of the bolt, and the anti-slip effect is 30% higher than the traditional design, avoid injuries to personnel during the use of slippage

Experiment table	Original Wrench	Anti-slip Wrench (NEW design)	Anti-slip Wrench (on the market)
Anti-slip function	X	○ 	○ 
Torque (kg-m)	20.5 (1.45X)	23.6 (1.66X) 	23.2 (1.64X) 
Result-Screw 1	rounded	few damage 	damage 
Result-Screw 2 (Stuck or not)	Stuck	Free 	Stuck
Result-Wrench (HRC 44~48)	OK	OK	OK

Size available: 6-32mm (27 sizes in total)

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Light Weigh Flex Head Extractor Ratchet Wrench



Features:

- * **100-Teeth With 6 Point Box End and a Quick Drive Open End**
- * **It Needs as Little as 3.6° to Move Fastener While a Regular Wrench Needs 5° Of Sweep Space.**
- * **Size: 8-24mm**
- * **Material: CR-V6140**
- * **Finished: Mirror Polished, Mett or Micro Satin**

Option:

- * **An Extractor Open End**
- * **Color Ring**
- * **72-Teeth / 120-Teeth**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Extractor Open End + Extractor Ratchet Wrench



Features:

- * **100-Teeth Needs as Little as 3.6° to Move Fastener While a Regular Wrench Needs 5° Of Sweep Space.**
- * **Size: 8-24mm**
- * **Material: CR-V6140**
- * **Finished: Mirror Polished, Mett or Micro Satin**

Option:

- * **Color Ring**
- * **72-Teeth / 120-Teeth**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

EXTENSION BAR



AF-1016	1/2"	10"-16"
AF-0915	3/8"	09"-15"
AF-0712	1/4"	07"-12"

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350


www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

LUG NUT WRENCH



Features:

- A. Allow 4 assembly methods to transform into I, X, L, T-shape; for saving effort or storage space.
- B. Hexagon bar with male 1/2" Dr., able to assemble various general sockets.



Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

LUG NUT WRENCH

X-214M	17mm x 19mm x 21mm x 1/2 Dr.	395mmL
X-214N	11/16" x 3/4" x 13/16" x 1/2" Dr.	412mmL
X-214MN	17mm-11/16" x 19mm-3/4"	412mmL
	x 21mm-13/16" x 1/2"Dr.	




Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

Adjustable 3-Position Aluminum Spinning Handle, Cr-Mo Impact Grade



FEATURES:

- *Fast Spinning than before while protects your hand from friction burns**
- *The free-spinning sleeves allow you to maintain a stable positive grip during while you using the adapters.**
- *Adjustable Handle for four positions to help balance heavy impact tools. More stability and control while removing or replacing hard-to-reach fasteners.**
- *Custom Handle and Color for your brand, Color-coding Handle so you'll always know you have the right size**
- *Impact Socket made from forged and heat-treated Chrome Molybdenum Steel (CR-MO SCM440), fully impact grade, to withstand high torque from air-powered impact drivers.**
- *Manganese Black Phosphate coating to ensure rust & corrosion resistance in rough environments. Corrosion-resistant black phosphate finish (Manganese)**
- *Meets or exceeds ANSI & DIN & ISO performance standards designed to tackle the toughest jobs with solid durability.**

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Premium Sliding Cross Rim Wrench



K/D TYPE



2-WAY LOCK FOR EASY STORAGE & CARRYING

Features:

- * Sliding Bar provides High Torque to loosen Wrench Nut
- * Unique, High Quality Two Way Lock, easy for storage.

Description:

- * Steel tube: Chrome-Molybdenum Steel
- * Hexagonal Rod: Chrome-Vanadium Steel
- * 13" (or 14") Steel tube 19mmx21mm with 15"x17mm Socket
- * Hexagonal Rod x1pc,
- * 1/2" Dr. Adapter x1pc

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

3/8" Screen Torque Wrench 5-25 N·m




Description:

Main torque range: 5~25 N·m

Torque Wrench Type: Click, Clockwise Only

Fine Scale: 0.1 N·m

Accuracy: $\pm 4\%$



Specification:

Model	34349
Weight	765g
Dimensions	323x23x248mm
Drive	3/8
Main Torque Range	5~25 N·m
Structure	Click Type
Type	Adjustable Scale, Screen Torque Wrench
Metric Unit	

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

1/2" Palm Light Weight Impact Wrench



Application:

Small Engine Repair and Transmission, Body Shop, Farm, Light Truck, Overall Automotive Service

Strength:

Brand New Optimal Palm Shape, Light Weight, Easy to Operate It with One-Handed (Left or Right Hand) in a Narrow Space to Change Any Degrees of the Angle, Single Hammer Structure Offer a Supper Torque

PERFORMANCE at 90PSI	SPECIFICATION
Square Drive:	1/2" (3/8" available)
Handle Type	Pistol
Clutch type	Jumbo Hammer
Motor Housing	Die Casted Aluminum
Air Exhaust	handle exhaust
Air Inlet Thread	1/4"NPT-18;1/4"PT-19
Vibration	3.5m/s ²
Bolt Capability	12mm
2 Second	260ft.lb
5 Second	350 ft.lb
Maxi. Torque10 miao	400ft.lbs
Weight	1.15 kgs
Length (from end to end)	88mm
Free Speed	8500 r.p.m.
Noise Level(sound pressure)	90dB
Average Air Consumption	5.6 CFM
Mini Hose Size	3/8"

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

1/2" ANGLE AIR IMPACT WRENCH



Feature:

1. Pneumatic Wrench is Flexible to Change Head Configuration
2. 360 Degree Rotating Horizontal Pneumatic Head
3. 120 Degree Rotating Vertical Pneumatic Head
4. 360 Degree Rotating Handle
5. Easy to tighten Bolts
6. Easy to work in a narrow space through adjust different angle

Specification:

型號	Model	R-1283
空氣壓力 psi (6.2 bar)	Air Pressure	90 (6.2)
前軸尺寸 inch	Square Drive	1/2"
最大扭力 ft-lb (Nm)	Max. Torque Range	450 (610)
無負載轉速 R.P.M	Free Speed	8000
工作耗氣量 cfm (l/min)	Air Cons.	8/210 L
進氣口風管尺寸 inch	Min. Hose Size	3/8"
長度 mm	Length	311
重量 kg	Weight	1.4
進氣尺寸 PT or NPTv	Air Inlet	1/4"
包裝明細 CTN pcs / n.w. / g.w. / cuft	Packing	10 pcs / 15 / 16 / 1'



Holding the wrench at an angle 60 degree


Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

Low Profile Socket, 6 Point and 12 Point



FEATURES:

- Low-Profile socket is ideal for limited spaces like electronic cars and high-tech machines.
- Low-profile ratchet square drive design ensures strength in tight clearance areas.
- Cross-section design allows greater accessibility in confined spaces.
- Taiwan made Chrome Vanadium (CR-V) steel tempered with proprietary heat treatment process to withstand more torque
- Full Polish Nickel Chrome Finish ensures durability and corrosion resistance
- Socket geometry design to grip flat sides of fastener head, not corners, preventing round-off
- Complete Sizes for SAE and Metric
- Meets or exceeds ANSI & DIN & ISO performance standard

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

5PC DEEP BUDD WHEEL IMPACT SOCKET SET



CONTENT:

1"DR. 6-POINT DEEP BUDD SOCKET (MM): 33 , 35 , 38 , 41

1"DR. 6-POINT DEEP BUDD SOCKET (IN): 1-1/2"


Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

7-Piece 1/2" Drive Universal Impact Socket Set (13-22mm)



Feature:

- 1/2"DR. 6PT IMPACT UNIVERSAL SOCKETS: 13, 14, 15, 16, 17, 18, 19, 21, 22 MM
- Color rings aid in socket categorization by size.
- Swivel impact socket has 30-degree angle and rotates 360 degrees, allowing for access to tight spots.
- Joint design increases strength and durability for high torque.
- Full 360-degree rotation with spring-loaded ball bearing design ensures firm and secure grip.
- Designed for use with battery, electric and pneumatic impact wrenches
- Impact Socket Made in Taiwan, from forged and heat treated **CHROME MOLYBDENUM STEEL (CR-MO)** with a corrosion-resistant black phosphate finish (**MANGANIC PHOSPHATE FINISH**)
- Socket with High-torque, 6-point socket design grips the flat sides of fasteners, not just the corners, preventing round-off
- Complete Sizes for SAE and Metric system
- High-contrast permanent laser etched size markings are easy-to-read, even in low light
- Socket meets or exceeds ANSI & DIN & ISO performance standards


Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

7-Piece 1/2" Drive Universal Impact Socket Set (1/2"-7/8")



Feature:

- 1/2"DR. 6PT IMPACT UNIVERSAL SOCKETS: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
- Color rings aid in socket categorization by size.
- Swivel impact socket has 30-degree angle and rotates 360 degrees, allowing for access to tight spots.
- Joint design increases strength and durability for high torque.
- Full 360-degree rotation with spring-loaded ball bearing design ensures firm and secure grip.
- Designed for use with battery, electric and pneumatic impact wrenches
- Impact Socket Made in Taiwan, from forged and heat treated **CHROME MOLYBDENUM STEEL (CR-MO)** with a corrosion-resistant black phosphate finish (**MANGANIC PHOSPHATE FINISH**)
- Socket with High-torque, 6-point socket design grips the flat sides of fasteners, not just the corners, preventing round-off
- Complete Sizes for SAE and Metric system
- High-contrast permanent laser etched size markings are easy-to-read, even in low light
- Socket meets or exceeds ANSI & DIN & ISO performance standards

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

8PC 3/4"DR. 6-POINT IMPACT SOCKET SET (METRIC)



Feature:

- 3/4"DR. 6-POINT IMPACT SOCKET :
26, 27, 29, 30, 32, 35, 36, 38 MM

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

14PC 3/8"DR. 6-POINT IMPACT SOCKET SET (METRIC)



ANSI
DIN

1/2"



Feature:

- 3/8"DR. 6-POINT IMPACT SOCKET :
7 , 8 , 9 , 10 , 11 , 12 , 13 , 14 , 15 , 16 , 17 , 18 , 19

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

16PC 3/4"DR. 6 POINT IMPACT SOCKET SET



CONTENT:

3/4"DR. 6-POINT IMPACT SOCKET :

3/4" , 13/16" , 7/8" , 15/16" , 1" , 1-1/16" , 1-1/8" , 1-1/4" ,

1-5/16" , 1-3/8" , 1-7/16" , 1-1/2" , 1-5/8" , 1-3/4" , 1-7/8" , 2"

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

27-Piece 1/2" Drive 12-Point Impact Socket Set (10-36 mm)



ANSI
DIN

1/2"



Feature:

- 12-Point Socket Opening Provides an Exact Fit for 12-Point Fasteners
- Impact Socket Made in Taiwan, From Forged and Heat Treated **CHROME MOLYBDENUM STEEL (CR-MO)** with a Corrosion-Resistant Black Phosphate Finish (**MANGANIC PHOSPHATE FINISH**)
- Impact Socket with High-Torque, 12-Point Grips the Flat Sides of Fasteners, Not Just the Corners, Preventing Round-Off
- Complete Sizes for SAE And Metric System
- High-Contrast Permanent Laser Etched Size Markings are Easy-to-Read, Even in Low Light
- Impact Socket Meets or Exceeds ANSI & DIN & ISO Performance Standards

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan (R.O.C.)

TEL: 886-4-22923874 Fax: 886-4-22990350

www.taiwanhotrodproducts.com Email: hotrod.wan@msa.hinet.net

27-Piece 1/2" Drive 12-Point Deep Impact Socket Set (10-36 mm)



Feature:

- 12-Point Socket Opening Provides an Exact Fit for 12-Point Fasteners
- Impact Socket Made in Taiwan, From Forged and Heat Treated **CHROME MOLYBDENUM STEEL (CR-MO)** with a Corrosion-Resistant Black Phosphate Finish (**MANGANIC PHOSPHATE FINISH**)
- Impact Socket with High-Torque, 12-Point Grips the Flat Sides of Fasteners, Not Just the Corners, Preventing Round-Off
- Complete Sizes for SAE And Metric System
- High-Contrast Permanent Laser Etched Size Markings are Easy-to-Read, Even in Low Light
- Impact Socket Meets or Exceeds ANSI & DIN & ISO Performance Standards

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan


TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

3/4 "Quick Release Reversible Ratchet



Dr.	D (mm)	H (mm)	TEETH	L	G
3/4	64	61	24	510mm	2600g
3/4	64	55	24	510mm	2600g



3/4" & 1" Quick Release Reversible Ratchet



Dr.	D (mm)	H (mm)	TEETH	L	G
1"	70	66	24	800mm	4150g
3/4	64	55	24	510mm	2710g
3/4	64	61	24	510mm	2710g

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Construction Wrench



Features:

- Made by heat-treated Forged Alloy Steel for strength exceeding international specifications.
- Professional plating prevents construction wrenches from corrosion.
- Best design for construction work.
- Strong torque for heavy work.
- Superior life-time test.

Optional Box End: 12PT Box End

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Heavy Duty Construction Wrench with VORTEX Function



Feature:

- * 30/32/36 mm, three sizes in common with one wrench
- * To bite onto the side of bolt (nut) head to protect the head not damage.
- * The box end can work on the damaged head of bolt(nut), even if it's rounded 80%.
- * Torque achieves 50% more than ANSI standard

Description:

- * Sizes available for VORTEX function
- * Sizes available for construction wrench- 30/32/36 mm
- * VORTEX function patented- Taiwan/Germany/Japan/China/USA

Material: CR-V

Finished: Nickel Plated

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Construction Wrench with VORTEX Function 30/32mm



Feature:

- *30/32mm, two sizes in common with one wrench
- *To bite onto the side of bolt(nut) head to protect the head not damage.
- *The box end still can release the damaged head of bolt(nut), even if it's rounded 80%.
- *Torque achieves 50% more than ANSI standard

Description:

- * Sizes available for VORTEX function only-
Metric: 8-19mm (12 sizes in total) SAE: 5/16"-3/4"(8 sizes in total)
- * Sizes available for construction wrench- 30/32mm
- *VORTEX function patented- Taiwan/Germany/Japan/China/USA


Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Pedal Wrench



Features:

- * Pedal Wrench: 15mm
- * Hex Box: H8-H17
- * Bottle Opener
- * Available Color: Black
- * Size: 149mm
- * Weight: 70g

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

Electrician Scissors



Features:

Blades:

JIS420 J2 Stainless Steel

One blade with anti-slipping serrated

56HRC hardness cutting edge teeth

Made with dual notch for cutting 70mm² cable and as cable / wire stripper

Handle:

Bi-tone Nylon + TPV

Fiber glass-reinforced Nylon

With terminal(ferrules) crimper for terminal from 1 mm² to 16mm² & AWG

22 - 14

Description:

*Blades with fine serration for a clean, non-slip cut

*Made with a notch on the edge as professional cable cutter and wire / cable stripper, can cut cable up to 70 mm²

*Universal shears for electricians

*Ergonomics handle, fiberglass-reinforced

*56 HRC hardness cutting edge

*With terminal crimper for terminal from 1 mm² to 16 mm² & AWG 22 - 14

*Adjustable screw

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

45° Angled Multi-Function Heavy Duty Electrician Scissors



Features:

Blades:

JIS420 J2 Stainless Steel

56HRC hardness cutting edge teeth

Made with dual notch for cutting 70mm² cable and as cable / wire stripper

With wire cutter (Can cut up to 3mm² soft metal wire) Can cut Wood stick, 3 mm thick plastic sheet, 1 mm thick aluminum sheet, 0.5mmthick bronze sheet

Handle:

Bi-tone PP+TPR

45° angled ergonomic handle

With terminal crimper from 0.5 mm²to 25 mm² (AWG 22 - 10)

With safety lock

With tether /lanyard hole (Tool fall protection)

Description:

*Blades:JIS420 J2 Stainless Steel

*56HRC hardness cutting edge teeth

*Made with dual notch for cutting 70 mm² cable and as cable / wire stripper

*With wire cutter (Can cut up to 3 mm² soft metal wire)

*Crimp from 0.5 mm² to 25 mm² CORD END (FERRULES) terminals and AWG 10~22 insulated terminal.

*Handle: Bi-tone Nylon + TPV, 45° angled ergonomic handle

*With safety lock

*With tether/lanyard hole (Tool fall protection)

Taiwan Hot Rod Products Co., Ltd.

No.28-7, Sec. 2, Beiping Rd., North Dist., Taichung City 404, Taiwan

TEL: 886-4-22923874 Fax: 886-4-22990350

www.goodbiketools.com Email: hotrod.wan@msa.hinet.net

45° Angled Multi-Function Electrician Scissors



Features:

Blades:

JIS420 J2 Stainless Steel

One blade with anti-slipping serrated

56HRC hardness cutting edge teeth

Made with dual notch for cutting 70mm² cable and as cable / wire stripper

With wire cutter (Can cut up to 3mm² soft metal wire)

Can cut Wood stick, 3 mm thick plastic sheet, 1 mm thick aluminum sheet, 0.5mm thick bronze sheet

Handle:

Bi-Tone Nylon +TPV

Fiber glass-reinforced Nylon ergonomics handle

With terminal crimper from 0.5 mm²to 6mm²& 10 mm²to 16mm² (AWG 22 - 14)

With safety lock

With tether /lanyard hole (Tool fall protection)

Description:

*Blades with fine serration for a clean, non-slip cut

*Made with a notch on the edge as professional cable cutter and wire / cable stripper, can cut cable up to 70 mm²

*Universal shears for electricians

*Ergonomics handle, fiberglass-reinforced

*56 HRC hardness cutting edge

*With terminal crimper from 0.5 mm² to 6 mm² & 10 mm² to 16 mm² AWG 22 - 14

*Adjustable screw

*With wire cutter (Can cut up to 3mm² soft metal wire)